










WATER FALL Cascade spout for wall mounting - Brushed Durabronss (23kt Gold)
IMO

13 420 979			
	<ul style="list-style-type: none"> • 120mm projection • CASCADE, max. flow rate 26.5 l/min (at 3 bar) • cover plate 240 x 60 mm • 1/2" connection • plug-link mounting 	 Brushed Durabronss (23kt Gold) 13 420 979-28	
		 Chrome 13 420 979-00	
		 Brushed Platinum 13 420 979-06	
		 Platinum 13 420 979-08	
		 Dark Chrome 13 420 979-19	
		 Matte Black 13 420 979-33	
		 Brushed Champagne (22kt Gold) 13 420 979-46	
		 Champagne (22kt Gold) 13 420 979-47	
		 Brushed Chrome 13 420 979-93	

Fits: IMO, LULU, MADISON, MEM, TARA, CL.1, LISSÉ, VAIA, META, CYO

Recommended miscellaneous

	Concealed wall elbow - • max. recess depth 163 mm • min. recess depth 90 mm	35 085 970 90
--	--	---------------


Recommended miscellaneous

	Concealed wall elbow - • max. recess depth 163 mm • min. recess depth 90 mm	35 085 970 90
--	--	---------------


WATER FALL Cascade spout for wall mounting - Brushed Durabron (23kt Gold)

IMO


13 420 979
mm [inches]



Flow rate chart



Trajectory diagram



Certificates


LGA_18615.

WRAS_2111005.

WATER FALL Cascade spout for wall mounting - Brushed Durabronze (23kt Gold)

IMO

13 420 979



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 30 31 024 01 90	fixing set	1	2
2	09 17 97 056 90	holder	1	2
3	90 24 05 008 00 90	nipple set	1	2
4	09 14 10 504 90	seal	1	2
5	90 29 30 040 00 90	insert	1	2
6	09 17 11 044 20 90	distributor	1	2
7	09 27 97 034-28	rosette	1	20
8	09 31 11 049 90	pin	4	2
9	09 30 30 147 90	screw	2	2
10	09 30 30 086 90	screw	4	2
11	09 30 01 104-28	casing	1	20
12	09 14 03 504 90	seal	1	2
13	09 11 94 046-28	spout	1	20