







## CL.1 Wall-mounted basin spout without pop-up waste - Brushed Platinum

CL.1

13 800 705



- 200mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- hole diameter 37 mm
- lead-free
- 1/2" connection
- plug-link mounting
- max. flow 4.5 l/min
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS 1512013

	Brushed Platinum	13 800 705-06
	Chrome	13 800 705-00
	Dark Chrome	13 800 705-19
	Brushed Champagne (22kt Gold)	13 800 705-46
	Champagne (22kt Gold)	13 800 705-47
	Brushed Dark Platinum	13 800 705-99

### Recommended miscellaneous



#### **Concealed wall elbow -**

35 085 970 90


- max. recess depth 163 mm
- min. recess depth 90 mm

CL.1 Wall-mounted basin spout without pop-up waste - Brushed Platinum


CL.1

13 800 705

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	EPA WaterSense
ISO 3822	NSF372	NSF61	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen	WaterSense	



## CL.1 Wall-mounted basin spout without pop-up waste - Brushed Platinum

CL.1

13 800 705

### Certificates

IAPMO\_N-4

IAPMO\_8834


LGA\_28

IAPMO\_6

WRAS\_1512

IAPMO\_4976

**Product version from 3/9/2015**





## CL.1 Wall-mounted basin spout without pop-up waste - Brushed Platinum

CL.1

13 800 705

### Spare parts list

#### Product version from 3/9/2015

No.	Item Number	Name	Quantity used	Delivery time
	09 24 03 081 10 90	extension	10	2