

VAIA Two-hole bridge mixer for rinsing/Profi spray - Brushed Chrome

19 825 809 Product version from 7/1/2023




- 241mm projection
- pivotable spout 360°
- air-enriched flow
- max. flow 7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Two-hole mixer for combining with rinsing/Profi spray only

| | | |
|---|--------------------------------|---------------|
|  | Brushed Chrome | 19 825 809-93 |
|  | Chrome | 19 825 809-00 |
|  | Brushed Platinum | 19 825 809-06 |
|  | Platinum | 19 825 809-08 |
|  | Durabronze (23kt Gold) | 19 825 809-09 |
|  | Dark Chrome | 19 825 809-19 |
|  | Brushed Durabronze (23kt Gold) | 19 825 809-28 |
|  | Matte Black | 19 825 809-33 |
|  | Brushed Bronze | 19 825 809-42 |
|  | Brushed Champagne (22kt Gold) | 19 825 809-46 |
|  | Champagne (22kt Gold) | 19 825 809-47 |
|  | Brushed Dark Platinum | 19 825 809-99 |

VAIA Two-hole bridge mixer for rinsing/Profi spray - Brushed Chrome

19 825 809 Product version from 7/1/2023



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



VAIA Two-hole bridge mixer for rinsing/Profi spray - Brushed Chrome

19 825 809 Product version from 7/1/2023

Certificates

LGA_38

VAIA Two-hole bridge mixer for rinsing/Profi spray - Brushed Chrome

19 825 809 Product version from 7/1/2023

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|--|--------------------|------------|---------------|---------------|
| 1 | 90 28 22 396 00-93 | spout | 1 | 20 |
| 2 | 90 20 80 036 00-93 | handle | 2 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| 3 | 90 12 12 232 00 90 | fixing cap | 2 | 2 |
| 4 | 90 90 03 131 00 90 | top | 2 | 2 |
| 5 | 90 14 10 043 00 90 | seal | 2 | 2 |
| 6 | 04 30 11 040 00 90 | fixing set | 2 | 2 |
| 7 | 04 30 04 100 00 90 | hose | 2 | 2 |
| 8 | 04 30 04 101 00 90 | hose | 2 | 2 |