











MADISON Bath shower set for bath rim or tile edge installation - Brushed Dark Brass

MADISON

27 502 360 Product version from 7/31/2009				
	<ul style="list-style-type: none">● spout: circular, air-enriched flow● max. spout flow rate 23 l/min● Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)● complete hand shower set with anti-scale system● 225mm projection● automatic bath/shower diverter● height of mixer 185 mm● height up to aerator 140 mm● hole diameter valve 32 mm● hole diameter spout 32 mm● hole diameter for complete hand shower set 32 mm● rosette for complete hand shower set Ø 55mm● rosette for deck valve Ø 55mm● metal shower hose 1750mm with integrated anti-twist protection		Brushed Dark Brass	27 502 360-39
			Chrome	27 502 360-00
			Brushed Platinum	27 502 360-06
			Platinum	27 502 360-08
			Durabrass (23kt Gold)	27 502 360-09
			Brushed Durabrass (23kt Gold)	27 502 360-28
			Brushed Dark Platinum	27 502 360-99
	Intrinsic protection against back flow.			

Recommended miscellaneous		Recommended miscellaneous	
	Perfecto installation kit - • 1 pair		Decorative caps for Perfecto - Brushed Dark Brass
	12 614 970 90		12 801 970-39

MADISON Bath shower set for bath rim or tile edge installation - Brushed Dark Brass

MADISON

27 502 360 Product version from 7/31/2009
mm [inches]



Flow rate chart



MADISON Bath shower set for bath rim or tile edge installation - Brushed Dark Brass

MADISON

27 502 360 Product version from 7/31/2009



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	20 000 360-39	side panel	2.00	-
Spare part can no longer be ordered, please order the replacement item				
4	27 703 360-39	shower set	1.00	-
Spare part can no longer be ordered, please order the replacement item				
2	12 502 970 90	High pressure hose 1/2" x 1/2" x 400 mm -	2.00	2
3	13 502 380-39	spout	1.00	-
Spare part can no longer be ordered, please order the replacement item				