










TARA Bath shower set for bath rim or tile edge installation - Chrome


27 512 892 Product version from 4/1/2024

	<ul style="list-style-type: none"> • spout: circular, air-enriched flow • max. flow 23.5 l/min at 3 bar flow pressure • Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar) • complete hand shower set with anti-scale system • 220mm projection • automatic bath/shower diverter • height of mixer 290 mm • height up to aerator 135 mm • hole diameter spout 32 mm • hole diameter valve 32 mm • hole diameter for complete hand shower set 32 mm • rosette for spout Ø 55mm • rosette for complete hand shower set Ø 50mm • rosette for deck valve Ø 55mm • metal shower hose 2250mm with integrated anti-twist protection 	<div>  Chrome </div>	27 512 892-00
		<div>  Brushed Platinum </div>	27 512 892-06
		<div>  Platinum </div>	27 512 892-08
		<div>  Dark Chrome </div>	27 512 892-19
		<div>  Brushed Durabrass (23kt Gold) </div>	27 512 892-28
		<div>  Matte Black </div>	27 512 892-33
		<div>  Brushed Bronze </div>	27 512 892-42
	<p>Also available with 260 mm or 300 mm projection on request (x-TRA SERVICE).</p>	<div>  Brushed Champagne (22kt Gold) </div>	27 512 892-46
	<p>Intrinsic protection against back flow.</p>	<div>  Champagne (22kt Gold) </div>	27 512 892-47
		<div>  Brushed Chrome </div>	27 512 892-93
		<div>  Brushed Dark Platinum </div>	27 512 892-99

Recommended miscellaneous


	Perfecto installation kit -	12 614 970 90
---	------------------------------------	---------------

Recommended miscellaneous

	Decorative caps for Perfecto - Chrome	12 801 970-00
	<ul style="list-style-type: none"> • 1 pair 	

TARA Bath shower set for bath rim or tile edge installation - Chrome

27 512 892 Product version from 4/1/2024



Flow rate chart



Codes & Standards

ASME A112.18.1 cUPC DIN 4109 EN 1717

ISO 3822 Ü-Zeichen



TARA Bath shower set for bath rim or tile edge installation - Chrome

27 512 892 Product version from 4/1/2024

Certificates


IAPMO_4976

LGA_18

Belgaqua_21-026-2

TARA Bath shower set for bath rim or tile edge installation - Chrome

27 512 892 Product version from 4/1/2024



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	20 000 892-00	TARA Deck valve clockwise closing cold or hot - Chrome	2	10
2	13 512 892-00	spout	1	10
3	12 502 970 90	High pressure hose 1/2" x 1/2" x 400 mm -	1	2
4	27 702 979-00	Hand shower set for bath rim or tile edge installation - Chrome	1	10