

Hand shower set with integrated shower holder - Brushed Bronze



























SERIES SPECIFIC

27 802 660 Product version from 6/3/2020



- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette Ø 60 mm
- 1/2" connection
- WRAS

Intrinsic protection against back flow.

| | | |
|---|-------------------------------|--------------------|
|  | Brushed Bronze | 27 802 660-42 |
|  | Chrome | 27 802 660-00 0010 |
|  | Chrome | 27 802 660-00 |
|  | Brushed Platinum | 27 802 660-06 0010 |
|  | Brushed Platinum | 27 802 660-06 |
|  | Platinum | 27 802 660-08 |
|  | Platinum | 27 802 660-08 0010 |
|  | Dark Chrome | 27 802 660-19 |
|  | Dark Chrome | 27 802 660-19 0010 |
|  | Light Gold | 27 802 660-26 0010 |
|  | Light Gold | 27 802 660-26 |
|  | Brushed Light Gold | 27 802 660-27 0010 |
|  | Brushed Light Gold | 27 802 660-27 |
|  | Brushed Durabrass (23kt Gold) | 27 802 660-28 0010 |
|  | Brushed Durabrass (23kt Gold) | 27 802 660-28 |
|  | Matte Black | 27 802 660-33 0010 |
|  | Matte Black | 27 802 660-33 |
|  | Brushed Bronze | 27 802 660-42 0010 |
|  | Brushed Champagne (22kt Gold) | 27 802 660-46 0010 |
|  | Brushed Champagne (22kt Gold) | 27 802 660-46 |
|  | Champagne (22kt Gold) | 27 802 660-47 |
|  | Champagne (22kt Gold) | 27 802 660-47 0010 |
|  | Brushed Chrome | 27 802 660-93 |
|  | Brushed Chrome | 27 802 660-93 0010 |
|  | Brushed Dark Platinum | 27 802 660-99 |
|  | Brushed Dark Platinum | 27 802 660-99 0010 |



Hand shower set with integrated shower holder - Brushed Bronze

SERIES SPECIFIC


27 802 660 Product version from 6/3/2020

Recommended miscellaneous

Concealed wall elbow - 35 085 970 90



mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



Hand shower set with integrated shower holder - Brushed Bronze

SERIES SPECIFIC

27 802 660 Product version from 6/3/2020

Certificates and sustainability

LGA_29

Belgaqua_24-007-2 WRAS_250402

