


















TARA Hand shower set with individual rosettes FlowReduce - Matte Black

27 803 892 Product version from 7/11/2018



- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 1/2" shower outlet
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

| | | |
|---|--------------------------------|--------------------|
|  | Matte Black | 27 803 892-33 0010 |
|  | Chrome | 27 803 892-00 |
|  | Chrome | 27 803 892-00 0010 |
|  | Brushed Platinum | 27 803 892-06 |
|  | Brushed Platinum | 27 803 892-06 0010 |
|  | Platinum | 27 803 892-08 |
|  | Platinum | 27 803 892-08 0010 |
|  | Dark Chrome | 27 803 892-19 |
|  | Dark Chrome | 27 803 892-19 0010 |
|  | Brushed Durabronze (23kt Gold) | 27 803 892-28 0010 |
|  | Brushed Durabronze (23kt Gold) | 27 803 892-28 |
|  | Matte Black | 27 803 892-33 |
|  | Brushed Bronze | 27 803 892-42 0010 |
|  | Brushed Bronze | 27 803 892-42 |
|  | Brushed Champagne (22kt Gold) | 27 803 892-46 0010 |
|  | Brushed Champagne (22kt Gold) | 27 803 892-46 |
|  | Champagne (22kt Gold) | 27 803 892-47 0010 |
|  | Champagne (22kt Gold) | 27 803 892-47 |
|  | Brushed Chrome | 27 803 892-93 |
|  | Brushed Chrome | 27 803 892-93 0010 |
|  | Brushed Dark Platinum | 27 803 892-99 |
|  | Brushed Dark Platinum | 27 803 892-99 0010 |



TARA Hand shower set with individual rosettes FlowReduce - Matte Black

27 803 892 Product version from 7/11/2018

Recommended miscellaneous




Concealed wall elbow -
•max. recess depth mm
•min. recess depth mm

35 085 970 90


TARA Hand shower set with individual rosettes FlowReduce - Matte Black

27 803 892 Product version from 7/11/2018

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1

cUPC

DIN 4109

ISO 3822

Ü-Zeichen



TARA Hand shower set with individual rosettes FlowReduce - Matte Black

27 803 892 Product version from 7/11/2018


Certificates

LGA_29

IAPMO_4976

TARA Hand shower set with individual rosettes FlowReduce - Matte Black

27 803 892 Product version from 7/11/2018



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|--|--------------------|---|---------------|---------------|
| 1 | 28 450 892-33 | connection | 1 | 60 |
| 2 | 28 050 892-33 | TARA Wall bracket - Matte Black | 1 | 10 |
| 3 | 28 104 970-33 | Metal shower hose 1/2" x 1/2" x 1250 mm - Matte Black | 1 | 2 |
| 4 | 28 014 979-33 0010 | Hand shower - Matte Black | 1 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| | 28018979-330010 | Hand shower FlowReduce - Matte Black | | |