

Rain shower for surface-mounted ceiling installation 300 mm - Champagne (22kt Gold)

TARA

28 031 970			
	<ul style="list-style-type: none"> rain shower Ø 300 mm PURE RAIN, max. flow rate 12 l/min (at 3 bar) PURIFY RAIN, max. flow rate 6 l/min (at 3 bar) Distance to ceiling from bottom edge of shower 40 mm with anti-scale system For simultaneous control of the jet types, we recommend the xTool thermostat module 	<div> <div></div> <div>Champagne (22kt Gold)</div> </div>	28 031 970-47
		<div> <div></div> <div>Chrome</div> </div>	28 031 970-00
		<div> <div></div> <div>Brushed Platinum</div> </div>	28 031 970-06
		<div> <div></div> <div>Platinum</div> </div>	28 031 970-08
		<div> <div></div> <div>Dark Chrome</div> </div>	28 031 970-19
		<div> <div></div> <div>Brushed Durabrass (23kt Gold)</div> </div>	28 031 970-28
		<div> <div></div> <div>Matte Black</div> </div>	28 031 970-33
		<div> <div></div> <div>Brushed Champagne (22kt Gold)</div> </div>	28 031 970-46
		<div> <div></div> <div>Brushed Chrome</div> </div>	28 031 970-93
		<div> <div></div> <div>Brushed Dark Platinum</div> </div>	28 031 970-99



Fits: TARA, LISSÉ, VAIA, META

Rain shower for surface-mounted ceiling installation 300 mm - Champagne (22kt Gold)

TARA

28 031 970
mm [inches]




Flow rate chart



Certificates

LGA_38400.

28 031 970
Parts for other
finishes can be found
here: Chrome



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 17 20 263 00 90	fixing set	1	2
2	90 24 03 309 01 90	connection	1	2
3	90 24 03 309 00 90	connection	1	2