







## MADISON Body spray without volume control FlowReduce - Brushed Platinum

MADISON

28 518 360



- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- rain flow
- rosette Ø 55 mm
- 1/2" connection
- max. flow 5 l/min
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

|  |                               |               |
|--|-------------------------------|---------------|
|  | Brushed Platinum              | 28 518 360-06 |
|  | Chrome                        | 28 518 360-00 |
|  | Platinum                      | 28 518 360-08 |
|  | Durabrand (23kt Gold)         | 28 518 360-09 |
|  | Brushed Durabrand (23kt Gold) | 28 518 360-28 |
|  | Brushed Dark Platinum         | 28 518 360-99 |

### Recommended miscellaneous




#### **Concealed wall elbow -**

35 085 970 90

- max. recess depth 163 mm
- min. recess depth 90 mm

28 518 360


mm [inches]



**Flow rate chart**



**Trajectory diagram**



**Codes & Standards**

DIN 4109

ISO 3822

Ü-Zeichen



## MADISON Body spray without volume control FlowReduce - Brushed Platinum

---

MADISON


28 518 360

### Certificates

---

LGA\_38

28 518 360





MADISON Body spray without volume control FlowReduce - Brushed Platinum

MADISON

28 518 360

Spare parts list

| No. | Item Number        | Name | Quantity used | Delivery time |
|-----|--------------------|------|---------------|---------------|
|     | 90 14 10 026 00 90 | seal | 9             | 2             |