








MADISON Rain shower with wall fixing 200 mm - Brushed Platinum

28 545 977    Product version from 12/5/2019



- 435mm projection
- rain shower Ø 200 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- rosette Ø 55 mm
- 1/2" connection
- with anti-scale system

	Brushed Platinum	28 545 977-06
	Chrome	28 545 977-00
	Platinum	28 545 977-08
	Durabrand (23kt Gold)	28 545 977-09
	Brushed Durabrand (23kt Gold)	28 545 977-28
	Brushed Chrome	28 545 977-93
	Brushed Dark Platinum	28 545 977-99

Recommended miscellaneous




- Concealed wall elbow -**  
 •max. recess depth mm  
 •min. recess depth mm

35 085 970 90

**MADISON Rain shower with wall fixing 200 mm - Brushed Platinum**

28 545 977    Product version from 12/5/2019



**Flow rate chart**



**Codes & Standards**

DIN 4109                      EN 1112                      ISO 3822                      Ü-Zeichen



## MADISON Rain shower with wall fixing 200 mm - Brushed Platinum

---

28 545 977 Product version from 12/5/2019


### Certificates

---

DVGW\_DW- LGA\_38  
6517DN0

# MADISON Rain shower with wall fixing 200 mm - Brushed Platinum

28 545 977    Product version from 12/5/2019



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 27 35 003-06	rosette	1	10
2	90 14 10 026 00 90	seal	1	2
3	09 11 03 017-06	connection	1	10
4	04 12 05 038 01-06	shower	1	10