

Rain shower with ceiling fixing FlowReduce 400 mm - Chrome

SERIES SPECIFIC

28 698 970 Product version from 4/1/2024

















- rain shower Ø 400 mm
- rain flow
- max. flow 12 l/min
- Function from: 12 l/min
- quick clearing
- with anti-scale system


Technical data:

- rosette Ø 60 mm optional
- 1/2" connection


Notes:

- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

| | | |
|---|--------------------------------|---------------|
|  | Chrome | 28 698 970-00 |
|  | Brushed Platinum | 28 698 970-06 |
|  | Platinum | 28 698 970-08 |
|  | Dark Chrome | 28 698 970-19 |
|  | Light Gold | 28 698 970-26 |
|  | Brushed Light Gold | 28 698 970-27 |
|  | Brushed Durabronze (23kt Gold) | 28 698 970-28 |
|  | Matte Black | 28 698 970-33 |
|  | Brushed Dark Brass | 28 698 970-39 |
|  | Brushed Bronze | 28 698 970-42 |
|  | Brushed Champagne (22kt Gold) | 28 698 970-46 |
|  | Champagne (22kt Gold) | 28 698 970-47 |
|  | Brushed Chrome | 28 698 970-93 |
|  | Brushed Dark Platinum | 28 698 970-99 |



Flow rate chart



Codes & Standards

| | | |
|----------|----------|-----------|
| DIN 4109 | ISO 3822 | Ü-Zeichen |
|----------|----------|-----------|



Rain shower with ceiling fixing FlowReduce 400 mm - Chrome


SERIES SPECIFIC

28 698 970 Product version from 4/1/2024

Certificates and sustainability

LGA_38

Parts for other
finishes can be found
here: Brushed
Platinum



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 5 | 90 12 05 090 20-00 | shower | 1.00 | 10 |
| 2 | 09 14 10 141 90 | seal | 1.00 | 2 |
| 3 | 09 11 03 080-00 | connection | 1.00 | 10 |
| 4 | 09 23 01 075 90 | insert | 1.00 | 2 |
| 1 | 09 27 22 040-00 | rosette | 1.00 | 10 |
| 6 | 90 30 09 069 00 90 | key | 1.00 | 2 |