













META Wall-mounted valve cold water without pop-up waste - Brushed Light Gold

META

30 010 662	Product version from 5/1/2022		
	<ul style="list-style-type: none"> 126mm projection fixed spout circular, air-enriched flow hole diameter 35 mm rosette Ø 60 mm max. flow 5.7 l/min lead-free This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB 		<div>Brushed Light Gold</div> <div>30 010 662-27</div>
			<div>Chrome</div> <div>30 010 662-00</div>
			<div>Brushed Platinum</div> <div>30 010 662-06</div>
			<div>Dark Chrome</div> <div>30 010 662-19</div>
			<div>Light Gold</div> <div>30 010 662-26</div>
			<div>Matte Black</div> <div>30 010 662-33</div>
			<div>Brushed Dark Brass</div> <div>30 010 662-39</div>
			<div>Brushed Bronze</div> <div>30 010 662-42</div>
			<div>Brushed Champagne (22kt Gold)</div> <div>30 010 662-46</div>
			<div>Champagne (22kt Gold)</div> <div>30 010 662-47</div>
			<div>Brushed Chrome</div> <div>30 010 662-93</div>
			<div>Brushed Dark Platinum</div> <div>30 010 662-99</div>

Recommended miscellaneous

	<div> <div>Concealed wall elbow -</div> <div> <ul style="list-style-type: none"> min. recess depth 90 mm max. recess depth 163 mm </div> </div>	35 085 970 90
--	---	---------------

META Wall-mounted valve cold water without pop-up waste - Brushed Light Gold

META

30 010 662 Product version from 5/1/2022
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109 ISO 3822 Ü-Zeichen



META Wall-mounted valve cold water without pop-up waste - Brushed Light Gold

META

30 010 662 Product version from 5/1/2022

Certificates and sustainability

LGA_38



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
2	90 27 66 019 00-27	rosette	1.00	20
4	90 28 22 385 00-27	spout	1.00	20
1	09 24 03 072 10 90	nipple	1.00	2
3	90 20 66 023 00-27	handle	1.00	20
5	09 16 03 001 90	grease	1.00	2