

ENO Single-lever mixer Pull-out - Brushed Chrome

ENO

33 845 760



- 220mm projection
 - pivotable spout 130°
 - air-enriched flow
 - height of mixer 288 mm
 - height up to aerator 187 mm
 - hole diameter 35 mm
 - 1600mm metal shower hose
 - max. flow 10 l/min at 3 bar flow pressure
 - lead-free
 - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Intrinsic protection against back flow.

	Brushed Chrome	33 845 760-93
	Chrome	33 845 760-00
	Brushed Platinum	33 845 760-06
	Platinum	33 845 760-08
	Dark Chrome	33 845 760-19
	Brushed Durabrass (23kt Gold)	33 845 760-28
	Brushed Champagne (22kt Gold)	33 845 760-46
	Champagne (22kt Gold)	33 845 760-47
	Brushed Dark Platinum	33 845 760-99


Recommended miscellaneous

	Dispenser without rosette - Brushed Chrome	82 424 970-93
---	---	---------------


Recommended miscellaneous

	Strainer waste with control handle - Brushed Chrome	10 712 970-93
---	--	---------------

33 845 760



Flow rate chart



Certificates


GDV_0400282.

ENO Single-lever mixer Pull-out - Brushed Chrome

ENO

33 845 760

Parts for other
finishes can be found
here: [Chrome](#)



33 845 760

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 20 76 001-93	handle	1	60
2	90 31 20 109 00 90	plug	1	2
3	90 31 11 030 00 90	pin	1	2
4	09 28 30 012-93	cover	1	60
5	09 14 10 102 90	seal	1	2
6	09 24 04 270 90	nut	1	2
7	90 28 10 148 00 90	accessories	1	2
8	90 15 05 064 00 90	cartridge	1	2
9	04 30 02 121 00-85	hose	1	30
10	90 24 03 255 00-93	nut	1	20
11	09 23 01 039 90	sieve	1	2
12	04 12 11 106 00-93	shower	1	20
13	09 14 15 029 90	ring	1	2
14	09 28 10 144 90	ring	1	2
15	09 14 10 034 90	seal	1	2
16	09 27 76 001-93	rosette	1	60
17	09 14 10 036 90	seal	1	2
18	04 30 04 098 00 90	hose	2	60
19	04 30 11 040 00 90	fixing set	1	2
20	04 28 20 067 00 90	pipe	1	2
21	04 21 50 010 00 90	accessories	1	2
22	09 30 03 038 90	hose	1	2
23	90 24 03 253 00 90	adaptor	1	2
24	90 30 09 031 00 90	key	1	2