






DORNBRACHT PIUR Single-lever mixer - Soft Black

DORNBRACHT



33 900 210




- 195mm projection
- max. flow 6.7 l/min at 3 bar flow pressure
- pivotable spout 360°
- air-enriched flow
- WRAS

	Soft Black	33 900 210-69
	Chrome	33 900 210-00
	Brushed Nickel	33 900 210-70

33 900 210



### Flow rate chart



## Codes & Standards

DIN 4109	EN 817	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen	XP P 41-280	



DORNBRACHT PIUR Single-lever mixer - Soft Black

DORNBRACHT  
PIUR


33 900 210

Certificates and sustainability

ACS_23 ACC NY	AbP_10	WRAS_2311	DVGW_DW-6506DO0
---------------	--------	-----------	-----------------

33 900 210

Parts for other  
finishes can be found  
here: [Chrome](#)



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 28 22 380 00-69	spout	1.00	2
9	04 30 04 101 00 90	hose	1.00	2
5	90 20 21 001 00-69	handle	1.00	2
6	90 27 21 001 00-69	rosette	1.00	2
7	90 30 01 200 00 90	shaft	1.00	2
4	90 28 30 011 00-69	cover	1.00	2
8	90 23 10 003 00 90	fixing set	1.00	2
3	90 15 05 060 00 90	cartridge	1.00	2
2	90 30 30 100 00 90	screw	1.00	2