






DORNBRACHT PIUR Single-lever mixer - Brushed Nickel

33 900 210




- 195mm projection
- max. flow 6.7 l/min at 3 bar flow pressure
- pivotable spout 360°
- air-enriched flow
- WRAS


| | | |
|---|----------------|---------------|
|  | Brushed Nickel | 33 900 210-70 |
|  | Chrome | 33 900 210-00 |
|  | Soft Black | 33 900 210-69 |

DORNBACHT PIUR Single-lever mixer - Brushed Nickel

33 900 210



Flow rate chart



Codes & Standards

| | | | |
|-----------|-------------|------------------------|-----------------------------|
| DIN 4109 | ISO 3822 | Scottish Water Byelaws | UK Water Supply Regulations |
| Ü-Zeichen | XP P 41-280 | | |



DORNBACHT PIUR Single-lever mixer - Brushed Nickel

33 900 210


Certificates

| | | |
|---------------|--------|-----------|
| ACS_23 ACC NY | AbP_10 | WRAS_2311 |
|---------------|--------|-----------|

DORNBRAUCHT PIUR Single-lever mixer - Brushed Nickel

33 900 210

Parts for other finishes can be found here: [Chrome](#)



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 1 | 90 28 22 380 00-70 | spout | 1 | 2 |
| 2 | 90 30 30 100 00 90 | screw | 1 | 2 |
| 3 | 90 15 05 060 00 90 | cartridge | 1 | 2 |
| 4 | 90 28 30 011 00-70 | cover | 1 | 2 |
| 5 | 90 20 21 001 00-70 | handle | 1 | 2 |
| 6 | 90 27 21 001 00-70 | rosette | 1 | 2 |
| 7 | 90 30 01 200 00 90 | shaft | 1 | 2 |
| 8 | 90 23 10 003 00 90 | fixing set | 1 | 2 |
| 9 | 04 30 04 101 00 90 | hose | 1 | 2 |