






DORNBACHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110




- 230mm projection
  - pivotable spout 120°
  - air-enriched flow and spray flow
  - fabric braided hose 1500 mm
  - max. flow 7 l/min at 3 bar flow pressure
- Intrinsic protection against back flow.


	Brushed Nickel	33 960 110-70
	Chrome	33 960 110-00
	Soft Black	33 960 110-69

## DORNBRAUCHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110  
mm [inches]



Flow rate chart



### Codes & Standards

DIN 4109

EN 1717

EN 817

ISO 3822

Ü-Zeichen

XP P 41-280



DORNBRAUCH LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

---


33 960 110  
Certificates

---

Belgaqua_23-012-2	AbP_10	ACS_23 ACC NY	DVGW_DW-6506DN0
-------------------	--------	---------------	-----------------

**DORNBRAUCH LYV Single-lever mixer Pull-out with spray function - Brushed Nickel**

33 960 110  
Parts for other  
finishes can be found  
here: [Chrome](#)



**Spare parts list**

No.	Item Number	Name	Quantity used	Delivery time
1	90 20 81 001 00-70	handle	1	2
2	90 28 30 010 00-70	cover	1	2
3	90 15 05 067 00 90	cartridge	1	2
4	90 18 40 227 00 90	insert	1	2
5	90 30 02 101 00 90	hose	1	2
6	90 23 01 051 00 90	flow reducer	1	2
7	90 14 05 081 00 90	seal	1	2
8	90 12 11 181 00-70	shower	1	2
9	90 14 15 062 00 90	gasket kit	1	2
10	90 30 01 211 00 90	shaft	1	2
11	90 14 05 080 00 90	seal	1	2
12	90 23 10 003 00 90	fixing set	1	2
13	04 30 04 100 00 90	hose	2	2
14	90 30 04 110 00 90	hose	1	2