

## Concealed ceiling installation box for surface-mounted ceiling installation with light -

---

35 042 970 90 Product version from 4/1/2022



- concealed rough parts
- 2x female thread 1/2" connections

### **Separate LED power supply**

#### **Input LED power supply**

- Input 100-240V AC 50-60Hz

#### **Output LED power supply**

- 350mA (CC)

#### **Output specification LED power supply**

- SELV (Safety Extra Low Voltage)
- Class 2

#### **Ceiling module power supply**


- 350mA (CC)
- Supply pipe 7 m
- Provided by customer: Light switch

#### **Environment**

- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- WRAS

## Concealed ceiling installation box for surface-mounted ceiling installation with light -

35 042 970 90 Product version from 4/1/2022  
mm [inches]



### Codes & Standards

Scottish Water  
Byelaws


UK Water Supply  
Regulations

### Certificates

WRAS\_240502

Concealed ceiling installation box for surface-mounted ceiling installation with light -

35 042 970 90
Product version from 4/1/2022



Spare parts list

| No. | Item Number        | Name                   | Quantity used | Delivery time |
|-----|--------------------|------------------------|---------------|---------------|
| 1   | 90 10 01 227 00 90 | electronic accessories | 1             | 2             |
| 2   | 90 10 01 257 00 90 | electronic accessories | 1             | 2             |
| 3   | 90 30 30 208 00 90 | screw                  | 1             | 2             |
| 4   | 90 17 20 239 00 90 | flange                 | 1             | 2             |