

## Concealed ceiling installation box for recessed ceiling installation with light -

---

35 044 970 90




- concealed rough parts
- 2x female thread 1/2" connections
- flush-mounted installation box 360x 300 mm RAL 9003 signal white
- Supply pipe 7 m
- Input 100-240V AC 50-60Hz
- Output 12V DC SELV / Class II
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

To be provided by the customer. Zigbee Gateway!


## Concealed ceiling installation box for recessed ceiling installation with light -

35 044 970 90



## Concealed ceiling installation box for recessed ceiling installation with light -

35 044 970 90



### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 24 03 305 00 90	connection	2	2
2	04 30 35 008 00 90	fixing set	1	2
3	90 10 01 212 00 90	electronic accessories	1	2
4	90 10 01 214 00 90	electronic accessories	1	2
5	90 10 01 211 00 90	electronic accessories	2	2
6	04 30 04 097 00 90	hose	2	60
7	90 30 01 216 10 90	Venting service kit	1	2
8	09 31 20 042 90	plug	2	2
9	90 10 01 229 00 90	electronic accessories	1	2
10	90 10 01 228 00 90	electronic accessories	1	2
11	90 14 03 189 00 90	plug	1	2
12	90 30 01 215 01 90	fixing set	2	2
13	90 30 01 215 00 90	fixing set	2	2