

35 427 970 90    Product version from 3/13/2017



- lead-free, dezincification resistant
- 2x back flow preventer
- 2x female thread 1/2" connections
- 3x outlet G 1/2"
- dust cover
- anti-water packing
- sound and thermal insulation
- gauge 70 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)
- WRAS

Can only be combined with exposed trim parts 36 427 SSS-FF

Recommended miscellaneous

**xGRID Attachment set for integrating in the dry wall construction -**

12 340 970 90

Required miscellaneous

**xGRID Installation track 555 mm -**


12 360 970 90

## Concealed thermostat -

SERIES-VARIOUS

35 427 970 90 Product version from 3/13/2017

mm [inches]



## Codes & Standards

EN 1111

EN 1717

Scottish Water  
Byelaws


UK Water Supply  
Regulations

## Certificates and sustainability

Belgaqua\_22\_279\_2 DVGW\_DW-  
6512DN0

WRAS\_250402

35 427 970 90 Product version from 3/13/2017



## Spare parts list

| No. | Item Number        | Name                | Quantity used | Delivery time |
|-----|--------------------|---------------------|---------------|---------------|
| 8   | 09 31 20 094 90    | plug                | 1.00          | 2             |
| 15  | 04 21 02 146 00 90 | cap                 | 1.00          | 2             |
| 2   | 04 30 31 024 01 90 | fixing set          | 2.00          | 2             |
| 1   | 09 30 30 171 90    | screw               | 4.00          | 2             |
| 11  | 90 23 01 040 00 90 | back-flow preventer | 2.00          | 2             |
| 14  | 09 14 10 512 90    | seal                | 1.00          | 2             |
| 4   | 09 31 20 092 90    | plug                | 3.00          | 2             |
| 17  | 04 14 03 080 00 90 | gasket kit          | 1.00          | 2             |
| 3   | 04 17 20 127 00 90 | holder              | 1.00          | 2             |
| 13  | 09 24 03 219 90    | nipple              | 2.00          | 2             |
| 9   | 09 14 10 112 90    | seal                | 2.00          | 2             |
| 16  | 09 30 30 112 90    | screw               | 3.00          | 2             |
| 10  | 04 30 11 149 00 90 | plug                | 2.00          | 2             |
| 7   | 09 31 20 093 90    | plug                | 1.00          | 2             |
| 5   | 09 14 10 139 90    | seal                | 3.00          | 2             |
| 12  | 90 14 10 056 00 90 | seal                | 2.00          | 2             |
| 6   | 04 31 20 039 11 90 | plug                | 3.00          | 2             |