


Concealed wall-mounted mixer spout on right -

35 714 970 90




- red brass, lead-free
- 2x female thread 1/2" connections
- 3x female thread 1/2" outlet
- 3x sealing plug 1/2"
- 3x dust cover
- soundproofing
- gauge 100 mm

Concealed wall-mounted mixer spout on right -


35 714 970 90

mm [inches]



| | min | max |
|-----------|-------------|--------------|
| Supernova | 65 [2 1/2"] | 130 [5 1/8"] |
| Deque | 65 [2 1/2"] | 130 [5 1/8"] |
| Tara | 65 [2 1/2"] | 130 [5 1/8"] |
| Vaia | 64 [2 1/2"] | 136 [5 3/8"] |
| CL 2 | 97 [3 7/8"] | 120 [4 3/4"] |

Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen

XP P 41-280



Concealed wall-mounted mixer spout on right -


35 714 970 90

Certificates

LGA_19 ACS_21 ACC LY

Concealed wall-mounted mixer spout on right -

35 714 970 90



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|-------------|---------------|---------------|
| 1 | 09 11 11 043 90 | accessories | 1 | 2 |
| 2 | 09 14 10 042 90 | seal | 3 | 2 |
| 3 | 09 24 03 210 10 90 | nipple | 1 | 2 |
| 4 | 09 14 10 003 90 | seal | 3 | 2 |
| 5 | 04 31 20 006 00 90 | plug | 2 | 2 |
| 6 | 09 21 02 102 90 | cap | 3 | 2 |
| 7 | 09 24 03 211 10 90 | nipple | 1 | 2 |
| 8 | 04 31 20 037 00 90 | plug | 1 | 2 |
| 9 | 09 24 03 209 10 90 | nipple | 1 | 2 |
| 10 | 04 30 31 024 01 90 | fixing set | 1 | 2 |