

VAIA Concealed single-lever mixer with diverter - Platinum

VAIA

36 120 809 Product version from 3/13/2017 to 2/20/2020



- automatic diverter
- cover plate Ø 150 mm
- WRAS

| | | |
|--|--------------------------------|---------------|
| | Platinum | 36 120 809-08 |
| | Chrome | 36 120 809-00 |
| | Brushed Platinum | 36 120 809-06 |
| | Dark Chrome | 36 120 809-19 |
| | Brushed Durabronze (23kt Gold) | 36 120 809-28 |
| | Brushed Dark Brass | 36 120 809-39 |
| | Brushed Bronze | 36 120 809-42 |
| | Brushed Champagne (22kt Gold) | 36 120 809-46 |
| | Champagne (22kt Gold) | 36 120 809-47 |
| | Brushed Dark Platinum | 36 120 809-99 |

Required miscellaneous



Concealed single-lever mixer with backflow preventor - 35 021 970 90

- max. recess depth 105 mm
- min. recess depth 80 mm

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction - 12 340 970 90

Required miscellaneous



Concealed single-lever mixer - 35 020 970 90


- max. recess depth 105 mm
- min. recess depth 80 mm

Required miscellaneous



xGRID Installation track 555 mm - 12 360 970 90

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



VAIA Concealed single-lever mixer with diverter - Platinum

VAIA

36 120 809 Product version from 3/13/2017 to 2/20/2020

Certificates and sustainability

LGA_19

WRAS_2207



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|-------------|---------------|---------------|
| 1 | 90 15 05 038 00 90 | cartridge | 1.00 | 60 |
| 4 | 09 14 10 084 90 | seal | 1.00 | 2 |
| 3 | 09 24 04 448 90 | nut | 1.00 | 2 |
| 9 | 90 31 20 087 00-08 | plug | 1.00 | 40 |
| 6 | 09 11 02 260-08 | sleeve | 1.00 | 40 |
| 10 | 90 31 09 139 00-08 | pull-rod | 1.00 | 40 |
| 5 | 09 11 02 261-08 | plate | 1.00 | 40 |
| 2 | 04 28 10 149 00 90 | accessories | 1.00 | 2 |
| 7 | 09 20 80 023-08 | handle | 1.00 | 40 |
| 11 | 90 21 34 081 00 90 | diverter | 1.00 | 2 |
| 12 | 90 30 09 064 00 90 | key | 1.00 | 2 |
| 8 | 90 31 11 063 00 90 | pin | 1.00 | 2 |