

## TARA Concealed two-way diverter - Brushed Platinum

TARA

36 200 882 Product version from 4/1/2022



- rotary diverter
- rosette 60 mm
- WRAS

|   |                                |               |
|---|--------------------------------|---------------|
|    | Brushed Platinum               | 36 200 882-06 |
|    | Chrome                         | 36 200 882-00 |
|    | Platinum                       | 36 200 882-08 |
|    | Dark Chrome                    | 36 200 882-19 |
|    | Brushed Durabronze (23kt Gold) | 36 200 882-28 |
|    | Matte Black                    | 36 200 882-33 |
|    | Brushed Bronze                 | 36 200 882-42 |
|    | Brushed Champagne (22kt Gold)  | 36 200 882-46 |
|    | Champagne (22kt Gold)          | 36 200 882-47 |
|   | Brushed Chrome                 | 36 200 882-93 |
|  | Brushed Dark Platinum          | 36 200 882-99 |

### Required miscellaneous



- Concealed two-way diverter -** 35 202 970 90
- max. recess depth 160 mm
  - min. recess depth 85 mm

mm [inches]



**Flow rate chart**



**Codes & Standards**

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## TARA Concealed two-way diverter - Brushed Platinum

TARA

36 200 882 Product version from 4/1/2022

Certificates and sustainability

LGA\_38

WRAS\_2307



## Spare parts list

| No. | Item Number           | Name       | Quantity used | Delivery time |
|-----|-----------------------|------------|---------------|---------------|
|     | 15 90 12 12 219 00-06 | base       | 1.00          | 10            |
|     | 12 04 20 88 052 10-06 | handle     | 1.00          | 10            |
|     | 5 09 31 11 294 90     | pin        | 1.00          | 2             |
|     | 10 90 12 12 002 00 90 | fixing cap | 1.00          | 2             |
|     | 3 90 21 02 181 00 90  | disc       | 1.00          | 2             |
|     | 8 09 29 06 022 90     | spindle    | 1.00          | 2             |
|     | 16 04 18 20 022 00-06 | angle      | 1.00          | 10            |
|     | 4 09 27 89 118-06     | rosette    | 1.00          | 10            |
|     | 11 09 21 02 144-06    | sleeve     | 1.00          | 10            |
|     | 17 09 20 88 052-06    | handle     | 1.00          | 10            |
|     | 7 09 24 05 002 90     | nipple     | 1.00          | 2             |
|     | 1 90 90 03 304 10 90  | diverter   | 1.00          | 2             |
|     | 2 90 23 30 023 00 90  | nut        | 1.00          | 2             |
|     | 14 90 30 11 029 00 90 | disc       | 1.00          | 2             |
|     | 6 90 14 15 020 03 90  | ring       | 1.00          | 2             |
|     | 13 90 30 30 075 00 90 | screw      | 1.00          | 2             |
|     | 9 90 14 10 060 00 90  | seal       | 1.00          | 2             |