

TARA xTOOL Concealed thermostat without volume control 3/4" - Brushed Chrome

TARA

36 503 892



- cover plate Ø 123 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

	Brushed Chrome	36 503 892-93
	Chrome	36 503 892-00
	Brushed Platinum	36 503 892-06
	Platinum	36 503 892-08
	Dark Chrome	36 503 892-19
	Brushed Durabronze (23kt Gold)	36 503 892-28
	Matte Black	36 503 892-33
	Brushed Champagne (22kt Gold)	36 503 892-46
	Champagne (22kt Gold)	36 503 892-47
	Brushed Dark Platinum	36 503 892-99

Required miscellaneous



**xTOOL Concealed thermostat module without volume control -** 35 503 970 90

- max. recess depth 160 mm
- min. recess depth 95 mm

Recommended miscellaneous



**xGRID Attachment set for integrating in the dry wall construction -** 12 340 970 90

Required miscellaneous



**xGRID Installation track 555 mm -** 12 360 970 90


## TARA xTOOL Concealed thermostat without volume control 3/4" - Brushed Chrome

TARA

36 503 892  
mm [inches]




### Flow rate chart



### Certificates

WRAS\_2011026.      LGA\_29931.      LGA\_29930.      LGA\_29932.

36 503 892



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 15 02 065 00 90	cartridge	1	2
2	90 11 01 196 00 90	base	1	2
3	09 11 02 537-93	cover	1	20
4	09 31 11 048 90	pin	1	2
5	90 14 10 049 00 90	seal	1	2
6	90 21 02 112 00-93	sleeve	1	-
Spare part can no longer be ordered, please order the replacement item				
7	90 17 33 027 00-93	handle	1	20
8	12 178 970 90	Extension 46 mm -	1	2