











**WATER CURVE Concealed body spray - Dark Chrome**

36 514 979



- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection
- WRAS

	Dark Chrome	36 514 979-19
	Chrome	36 514 979-00
	Brushed Platinum	36 514 979-06
	Platinum	36 514 979-08
	Light Gold	36 514 979-26
	Brushed Light Gold	36 514 979-27
	Brushed Durabronze (23kt Gold)	36 514 979-28
	Matte Black	36 514 979-33
	Brushed Bronze	36 514 979-42
	Brushed Champagne (22kt Gold)	36 514 979-46
	Champagne (22kt Gold)	36 514 979-47
	Brushed Chrome	36 514 979-93
	Brushed Dark Platinum	36 514 979-99

**Recommended miscellaneous**

**Concealed wall elbow -**

35 085 970 90

- max. recess depth mm
- min. recess depth mm



**WATER CURVE Concealed body spray - Dark Chrome**

36 514 979


mm [inches]



Flow rate chart



Trajectory diagram



**Codes & Standards**

DIN 4109

ISO 3822

Ü-Zeichen



## WATER CURVE Concealed body spray - Dark Chrome

---

36 514 979

Certificates

---

LGA\_29

## WATER CURVE Concealed body spray - Dark Chrome

---

36 514 979

