


# WATER BAR Concealed body spray FlowReduce - Brushed Durabrass (23kt Gold)

IMO

36 517 979 Product version from 5/16/2020




- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS


Fits: IMO, LULU, MADISON, MEM, TARA, CL.1, LISSÉ, VAIA, META, CYO

	Brushed Durabrass (23kt Gold)	36 517 979-28
	Chrome	36 517 979-00
	Brushed Platinum	36 517 979-06
	Platinum	36 517 979-08
	Dark Chrome	36 517 979-19
	Light Gold	36 517 979-26
	Brushed Light Gold	36 517 979-27
	Matte Black	36 517 979-33
	Brushed Bronze	36 517 979-42
	Brushed Champagne (22kt Gold)	36 517 979-46
	Champagne (22kt Gold)	36 517 979-47
	Brushed Chrome	36 517 979-93
	Brushed Dark Platinum	36 517 979-99

## Required miscellaneous

	<b>Concealed wall installation box -</b> 35 206 970 90
	• max. recess depth mm
	• min. recess depth mm

## Recommended miscellaneous

	<b>xGRID Attachment set for integrating in the dry wall construction -</b> 12 340 970 90
---	--

## Required miscellaneous

	<b>xGRID Installation track 555 mm -</b> 12 360 970 90
---	--


# WATER BAR Concealed body spray FlowReduce - Brushed Durabron (23kt Gold)

IMO


36 517 979 Product version from 5/16/2020  
mm [inches]



Flow rate chart



Trajectory diagram



## Codes & Standards

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## WATER BAR Concealed body spray FlowReduce - Brushed Durabrass (23kt Gold)

IMO

---

36 517 979 Product version from 5/16/2020

### Certificates

---

WRAS\_1304

LGA\_19



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 11 02 137 00 90	connection	1	2
2	90 11 02 332 00-00	insert	1	10
3	09 27 99 001-28	rosette	1	20
4	09 31 11 081 90	pin	1	2