

MEM Wall-mounted single-lever basin mixer without pop-up waste - Brushed Dark Platinum

36 805 782 Product version from 9/1/2022



- 185mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter 35 mm
- rosette Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- with single-point mounting
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

	Brushed Dark Platinum	36 805 782-99
	Chrome	36 805 782-00
	Brushed Platinum	36 805 782-06
	Platinum	36 805 782-08
	Dark Chrome	36 805 782-19
	Brushed Durabronze (23kt Gold)	36 805 782-28
	Brushed Champagne (22kt Gold)	36 805 782-46
	Champagne (22kt Gold)	36 805 782-47

Required miscellaneous




Concealed wall mounting -

35 050 970 90

- min. recess depth mm
- max. recess depth mm

MEM Wall-mounted single-lever basin mixer without pop-up waste - Brushed Dark Platinum

36 805 782 Product version from 9/1/2022
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



MEM Wall-mounted single-lever basin mixer without pop-up waste - Brushed Dark Platinum

36 805 782 Product version from 9/1/2022


Certificates

LGA_38

WRAS_240102

MEM Wall-mounted single-lever basin mixer without pop-up waste - Brushed Dark Platinum

36 805 782 Product version from 9/1/2022



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 20 87 003 00-99	handle	1	-
Spare part can no longer be ordered, please order the replacement item				
2	09 28 30 043-99	cover	1	20
3	09 24 04 266 90	nut	1	2
4	09 14 10 120 90	seal	1	2
5	90 28 22 361 00-99	spout	1	-
Spare part can no longer be ordered, please order the replacement item				
6	90 15 05 042 00 90	cartridge	1	2
7	09 27 89 004-99	rosette	1	20
8	09 14 10 041 90	seal	1	2
9	90 30 11 296 00 90	flange	1	2