









SERENITY SKY Rain panel for recessed ceiling installation - Brushed Dark Platinum
SERIES-VARIOUS

41 770 979	Product version from 9/1/2024		
	<ul style="list-style-type: none"> exposed trim parts Rain panel with 2 different spray modes PURIFY RAIN, 175 x 175 mm, max. flow rate 10 l/min (at 3 bar) FULL RAIN, 455 x 315 mm, max. flow rate 14 l/min (at 3 bar) Rain panel, 600 x 420 mm min. recess depth 150 mm weight 15kg feed pipe (hot/cold): 2x DN 20 with anti-scale system Recommended control element: xTool Not suitable for use in a steam room. 	<div>  <div>Brushed Dark Platinum</div> </div> <div>  <div>Chrome</div> </div> <div>  <div>Dark Chrome</div> </div> <div>  <div>Brushed Bronze</div> </div> <div>  <div>Brushed Champagne (22kt Gold)</div> </div> <div>  <div>Champagne (22kt Gold)</div> </div> <div>  <div>Brushed Stainless Steel</div> </div>	<div>41 770 979-99</div> <div>41 770 979-00</div> <div>41 770 979-19</div> <div>41 770 979-42</div> <div>41 770 979-46</div> <div>41 770 979-47</div> <div>41 770 979-86</div>

Required miscellaneous


	SERENITY SKY Concealed ceiling installation box -	35 770 970 90
	<ul style="list-style-type: none"> concealed rough parts 2x female thread 1/2" connections flush-mounted reflection box, 662 x 482 mm, RAL 9003, Signal White min. recess depth 150 mm weight 15kg Recommended control element: xTool 	

SERENITY SKY Rain panel for recessed ceiling installation - Brushed Dark Platinum


SERIES-VARIOUS

41 770 979 Product version from 9/1/2024

mm [inches]
1:10



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



SERENITY SKY Rain panel for recessed ceiling installation - Brushed Dark Platinum

SERIES-VARIOUS

41 770 979 Product version from 9/1/2024

Certificates and sustainability

LGA_38

WRAS_250102



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
2	91 16 02 053 00 90	holder	1.00	2
4	90 30 04 033 00 90	hose	1.00	2
1	90 12 01 095 02 90	shower	1.00	2
3	90 12 05 106 00-99	cover	1.00	20