

MEM Deck-mounted basin spout without pop-up waste - Brushed Platinum

MEM

13 716 782 Product version from 3/10/2014 to 6/16/2021



- 200mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 321 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

| | | |
|---|--------------------------------|---------------|
|  | Brushed Platinum | 13 716 782-06 |
|  | Chrome | 13 716 782-00 |
|  | Platinum | 13 716 782-08 |
|  | Dark Chrome | 13 716 782-19 |
|  | Brushed Durabronze (23kt Gold) | 13 716 782-28 |
|  | Brushed Champagne (22kt Gold) | 13 716 782-46 |
|  | Champagne (22kt Gold) | 13 716 782-47 |
|  | Brushed Dark Platinum | 13 716 782-99 |

13 716 782 Product version from 3/10/2014 to 6/16/2021



Flow rate chart



Codes & Standards

DIN 4109

Executive Order
no. 1007

ISO 3822

Ü-Zeichen



MEM Deck-mounted basin spout without pop-up waste - Brushed Platinum

MEM

13 716 782 Product version from 3/10/2014 to 6/16/2021

Certificates and sustainability

LGA_28

GDV_0400

MEM Deck-mounted basin spout without pop-up waste - Brushed Platinum

MEM

13 716 782 Product version from 3/10/2014 to 6/16/2021

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|--------------------|---------------|---------------|
| 6 | 04 30 04 016 00 90 | hose | 2.00 | 60 |
| 1 | 90 28 22 155 01-06 | spout | 1.00 | 10 |
| 2 | 09 27 78 034-06 | rosette | 1.00 | 10 |
| 3 | 09 11 10 054 10 90 | connection | 1.00 | 2 |
| 5 | 09 11 10 055 10 90 | connection | 1.00 | 2 |
| 4 | 09 14 10 130 90 | seal | 1.00 | 2 |
| 9 | 09 31 20 065 90 | plug | 1.00 | 2 |
| 7 | 04 23 10 009 01 90 | fixing set | 1.00 | 2 |
| 10 | 90 23 30 040 00-06 | threaded connector | 2.00 | 10 |
| 8 | 90 14 10 060 00 90 | seal | 1.00 | 2 |