



SYMETRICS Wall-mounted basin spout without pop-up waste - Brushed Durabronz (23kt Gold)

13 800 980



- 185mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter 37 mm
- rosette 60 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 7 l/min
- lead-free
- WRAS 1904065

For Touchfree control please order eSet Touchfree
WITH or WITHOUT temperature adjustment

Recommended miscellaneous



Concealed wall elbow -


- max. recess depth 163 mm
- min. recess depth 90 mm

35 085 970 90



SYMETRICS Wall-mounted basin spout without pop-up waste - Brushed Durabronz (23kt Gold)

13 800 980
mm [inches]



Flow rate chart




Certificates

LGA_18592.

WRAS_1904065.

**SYMETRICS Wall-mounted basin spout without pop-up waste - Brushed
Durabronz (23kt Gold)**

13 800 980



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 14 10 053 90	seal	1	2
2	09 24 04 135 90	nipple	1	2
3	09 14 10 008 90	seal	2	2
4	90 11 68 004 00-28	spout	1	20
5	90 23 01 029 02-28	aerator	1	20