MADISON Deck valve clockwise closing cold or hot - Durabrass (23kt Gold)

20 000 360

- hole diameter 32 mm
- rosette Ø 55 mm
- supplied with porcelain inserts for both HOT and COLD
- WRAS

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com

MADISON Deck valve clockwise closing cold or hot - Durabrass (23kt Gold)

20 000 360

mm [inches]



Flow rate chart



Codes & Standards

Scottish Water Byelaws	UK Water Supply Regulations

MADISON Deck valve clockwise closing cold or hot - Durabrass (23kt Gold)

20 000 360

Certificates

WRAS_1810

MADISON Deck valve clockwise closing cold or hot - Durabrass (23kt Gold)

20 000 360



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 20 36 002 06-09	handle (cold)	1	40
2	09 20 36 005-09	handle	1	40
3	09 26 01 010 90	accessories	1	2
4	09 20 83 006 90	handle	1	2
5	09 20 36 002-09	handle	1	40
6	09 20 36 004-09	handle	4	40
7	04 30 30 029 00 90	fixing set	1	2
8	09 21 02 046-09	cover	1	60
9	09 27 35 001-09	rosette	1	40
10	90 17 11 040 31 90	side panel	1	2
11	04 20 36 002 07-09	handle (hot)	1	40
12	09 26 01 011 90	accessories	1	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com