




- 1/2" shower outlet
- rosettes Ø 70 mm
- 1/2" connection
- gauge 153 mm - 15 mm


Intrinsic protection against back flow.

26 101 360 Product version from 7/5/2018

mm [inches]



**Flow rate chart**



**Codes & Standards**

DIN 4109

EN 1717

ISO 3822

Ü-Zeichen




## MADISON Shower mixer for wall mounting - Chrome

MADISON

26 101 360 Product version from 7/5/2018

### Certificates

Belgaqua\_21-378-2 LGA\_8



**Spare parts list**

No.	Item Number	Name	Quantity used	Delivery time
1	09 26 01 011 90	accessories	1	2
2	04 20 36 002 07-00	handle ( hot )	1	10
3	04 11 04 030 00 90	connection	2	2
4	09 27 39 010-00	rosette	2	10
5	04 29 05 014 00 90	nipple	2	2
6	09 23 30 010-00	nut	2	10
7	04 24 03 003 00-00	nipple	1	10
8	90 23 01 141 00 90	back-flow preventer	1	2
9	90 90 03 131 00 90	top	2	2
10	09 21 02 055-00	cover	2	10
11	04 20 36 002 06-00	handle ( cold )	1	10
12	09 20 36 004-00	handle	8	10
13	09 20 36 002-00	handle	2	10
14	09 20 83 006 90	handle	2	2
15	09 26 01 010 90	accessories	1	2
16	09 20 36 005-00	handle	2	10
17	04 30 30 029 00 90	fixing set	2	2