

VAIA Shower set without hand shower - Dark Chrome

VAIA

26 413 809



- shower hose connector 3/8"
- metal shower hose 1700mm with integrated anti-twist protection
- slide bar

Technical dimensions:

- gauge 800 mm
- rosette Ø 60 mm
- Pipe diameter 18 mm

Notes:

- WRAS

This article does not include a hand shower!

	Dark Chrome	26 413 809-19
	Chrome	26 413 809-00
	Brushed Platinum	26 413 809-06
	Platinum	26 413 809-08
	Brushed Durabronze (23kt Gold)	26 413 809-28
	Brushed Bronze	26 413 809-42
	Brushed Champagne (22kt Gold)	26 413 809-46
	Champagne (22kt Gold)	26 413 809-47
	Brushed Dark Platinum	26 413 809-99

Recommended miscellaneous

	Concealed wall elbow - • max. recess depth 163 mm • min. recess depth 90 mm	35 085 970 90
--	--	---------------

Required miscellaneous

	SERIES-VARIOUS Hand shower - Brushed Platinum	28 029 979-06
--	--	---------------

Required miscellaneous

	Hand shower - Dark Chrome	28 017 979-19
--	----------------------------------	---------------

Required miscellaneous

	Hand shower - Dark Chrome	28 018 979-19
--	----------------------------------	---------------

Required miscellaneous

	Hand shower - Dark Chrome	28 016 979-19
--	----------------------------------	---------------

Required miscellaneous

	Hand shower FlowReduce - Dark Chrome	28 016 979-19 0010
--	---	--------------------

Required miscellaneous

	Hand shower - Dark Chrome	28 012 979-19
--	----------------------------------	---------------

Required miscellaneous

	Hand shower FlowReduce - Dark Chrome	28 012 979-19 0010
--	---	--------------------

Recommended miscellaneous

	VAIA Wall elbow - Dark Chrome	28 450 809-19
--	--------------------------------------	---------------

Required miscellaneous

	Hand shower FlowReduce - Dark Chrome	28 018 979-19 0010
--	---	--------------------

Required miscellaneous


	SERIES-VARIOUS Hand shower FlowReduce - Dark Chrome	28 025 979-19 0010
--	--	--------------------

Required miscellaneous

	SERIES-VARIOUS Hand shower FlowReduce - Dark Chrome	28 027 979-19 0010
--	--	--------------------

26 413 809

mm [inches]



Codes & Standards

ASME A112.18.1 cUPC

Certificates and sustainability

IAPMO_4976

