

MADISON Showerpipe with shower mixer without hand shower - Brushed Dark Brass

MADISON

26 632 360 Product version from 7/1/2025



Rain shower:

- rain shower Ø 200 mm
- overhead shower: rain flow
- max. rainshower flow 14 l/min
- Function from: 8 l/min

hand shower:

Control element:

- rotary diverter for fixed-riser shower/hand shower
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:








- shower with fixed riser projection 420mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1180mm
- rosette for wall mounting Ø 70mm
- rosette for shower mixer Ø 60mm
- rosette for shower holder Ø 66mm
- Pipe diameter 20 mm
- gauge 150 mm - 13 mm
- 1/2" connection

Notes:

- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Intrinsic protection against back flow.

	Brushed Dark Brass	26 632 360-39
	Chrome	26 632 360-00
	Brushed Platinum	26 632 360-06
	Platinum	26 632 360-08
	Durabrass (23kt Gold)	26 632 360-09
	Brushed Durabrass (23kt Gold)	26 632 360-28
	Brushed Dark Platinum	26 632 360-99


MADISON Showerpipe with shower mixer without hand shower - Brushed Dark Brass

MADISON

26 632 360 Product version from 7/1/2025
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



MADISON Showerpipe with shower mixer without hand shower - Brushed Dark Brass

MADISON

26 632 360 Product version from 7/1/2025

Certificates and sustainability

LGA_29

This exploded view diagram illustrates the components of a shower head assembly. The parts are numbered as follows:

- 1**: The shower head head, featuring a circular face with multiple spray nozzles.
- 2**: The shower head neck, a curved pipe connecting the head to the main arm.
- 3**: A small O-ring or seal located at the top of the main arm.
- 4**: A decorative cap or cover for the top of the main arm.
- 5**: The main vertical shower arm.
- 6**: A three-way valve or diverter assembly that allows water to be directed to either the shower head or a side outlet.
- 7**: A threaded insert or sleeve that fits into the side outlet of the valve.
- 8**: A side spray wand or handheld shower head that connects to the side outlet via the threaded insert.

4/4 7/5/2025