

27 858 979



Fits: IMO, MEM, CL.1, CYO

- laminar flow
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- plug-link mounting
- max. flow 7 l/min
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

| | | |
|--|--------------------------------|---------------|
|  | Brushed Light Gold | 27 858 979-27 |
|  | Chrome | 27 858 979-00 |
|  | Brushed Platinum | 27 858 979-06 |
|  | Platinum | 27 858 979-08 |
|  | Dark Chrome | 27 858 979-19 |
|  | Brushed Durabronze (23kt Gold) | 27 858 979-28 |
|  | Matte Black | 27 858 979-33 |
|  | Brushed Champagne (22kt Gold) | 27 858 979-46 |
|  | Champagne (22kt Gold) | 27 858 979-47 |
|  | Brushed Chrome | 27 858 979-93 |
|  | Brushed Dark Platinum | 27 858 979-99 |

27 858 979

mm [inches]



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Ü-Zeichen

Certificates

LGA_38

Belgaqua_24-007-2

27 858 979

Product version from 4/1/2024

Parts for other finishes can be found here: [Chrome](#)





Affusion pipe with cover plate FlowReduce - Brushed Light Gold

IMO

27 858 979

Spare parts list

Product version from 4/1/2024

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|-------|---------------|---------------|
| | 04 12 11 073 01-27 | spout | 21 | 60 |