

Wall elbow - Brushed Durabronze (23kt Gold)

TARA



28 450 625



- 3/8" shower outlet
- rosette Ø 55 mm
- 1/2" connection
- WRAS 1811023

Intrinsic protection against back flow.

Fits: TARA, META

| | | |
|---|--------------------------------|---------------|
|  | Brushed Durabronze (23kt Gold) | 28 450 625-28 |
|  | Chrome | 28 450 625-00 |
|  | Brushed Platinum | 28 450 625-06 |
|  | Platinum | 28 450 625-08 |
|  | Dark Chrome | 28 450 625-19 |
|  | Light Gold | 28 450 625-26 |
|  | Brushed Light Gold | 28 450 625-27 |
|  | Matte Black | 28 450 625-33 |
|  | Brushed Bronze | 28 450 625-42 |
|  | Brushed Champagne (22kt Gold) | 28 450 625-46 |
|  | Champagne (22kt Gold) | 28 450 625-47 |
|  | Brushed Chrome | 28 450 625-93 |
|  | Brushed Dark Platinum | 28 450 625-99 |

Recommended miscellaneous



Concealed wall elbow -

- max. recess depth 163 mm
- min. recess depth 90 mm

35 085 970 90

28 450 625

mm [inches]




Flow rate chart



Certificates

WRAS_1811023. Belgaqua_21-381- ACS_20 ACC LY 739.
27_7.

28 450 625



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|---------------------|---------------|---------------|
| 1 | 90 14 10 026 00 90 | seal | 1 | 2 |
| 2 | 09 27 22 503-28 | rosette | 1 | 20 |
| 3 | 09 16 01 014 90 | ring | 1 | 2 |
| 4 | 90 23 01 141 00 90 | back-flow preventer | 2 | 2 |
| 5 | 09 11 03 036-28 | connection | 1 | 20 |
| 6 | 90 21 02 069 00-28 | cover | 1 | 20 |