

Rain shower with wall fixing FlowReduce 220 mm - Brushed Light Gold

SERIES SPECIFIC

28 648 970



- 450mm projection
- rain shower Ø 220 mm
- PURE RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

| | | |
|---|-------------------------------|---------------|
|  | Brushed Light Gold | 28 648 970-27 |
|  | Chrome | 28 648 970-00 |
|  | Brushed Platinum | 28 648 970-06 |
|  | Platinum | 28 648 970-08 |
|  | Dark Chrome | 28 648 970-19 |
|  | Light Gold | 28 648 970-26 |
|  | Brushed Durabrass (23kt Gold) | 28 648 970-28 |
|  | Matte Black | 28 648 970-33 |
|  | Brushed Bronze | 28 648 970-42 |
|  | Brushed Champagne (22kt Gold) | 28 648 970-46 |
|  | Champagne (22kt Gold) | 28 648 970-47 |
|  | Brushed Chrome | 28 648 970-93 |
|  | Brushed Dark Platinum | 28 648 970-99 |

28 648 970

mm [inches]



Codes & Standards

| | | |
|----------|----------|-----------|
| DIN 4109 | ISO 3822 | Ü-Zeichen |
|----------|----------|-----------|

Certificates and sustainability

LGA_38

Rain shower with wall fixing FlowReduce 220 mm - Brushed Light Gold

SERIES SPECIFIC

28 648 970

Parts for other
finishes can be found
here: [Chrome](#)

