

## Rain shower with wall fixing 220 mm - Chrome

SERIES SPECIFIC

28 649 970 Product version from 3/13/2017



- 450mm projection
- rain shower Ø 220 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 7 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing
- WRAS

|  |                                     |               |
|--|-------------------------------------|---------------|
|  | Chrome                              | 28 649 970-00 |
|  | Brushed Platinum                    | 28 649 970-06 |
|  | Platinum                            | 28 649 970-08 |
|  | Dark Chrome                         | 28 649 970-19 |
|  | Light Gold                          | 28 649 970-26 |
|  | Brushed Light Gold                  | 28 649 970-27 |
|  | Brushed Durabronze<br>(23kt Gold)   | 28 649 970-28 |
|  | Matte Black                         | 28 649 970-33 |
|  | Brushed Dark<br>Brass               | 28 649 970-39 |
|  | Brushed Bronze                      | 28 649 970-42 |
|  | Brushed<br>Champagne (22kt<br>Gold) | 28 649 970-46 |
|  | Champagne (22kt<br>Gold)            | 28 649 970-47 |
|  | Brushed Chrome                      | 28 649 970-93 |
|  | Brushed Dark<br>Platinum            | 28 649 970-99 |

### Recommended miscellaneous



**Concealed wall elbow -**

35 085 970 90

- max. recess depth 163 mm
- min. recess depth 90 mm

## Rain shower with wall fixing 220 mm - Chrome

SERIES SPECIFIC

28 649 970 Product version from 3/13/2017

mm [inches]



Flow rate chart



### Codes & Standards

DIN 4109

EN 1112

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



Rain shower with wall fixing 220 mm - Chrome

SERIES SPECIFIC

28 649 970    Product version from 3/13/2017

Certificates and sustainability

|           |                     |        |
|-----------|---------------------|--------|
| WRAS_2212 | DVGW_DW-<br>6517DN0 | LGA_38 |
|-----------|---------------------|--------|



## Spare parts list

| No. | Item Number          | Name       | Quantity used | Delivery time |
|-----|----------------------|------------|---------------|---------------|
|     | 2 09 17 20 120 90    | holder     | 1.00          | 2             |
|     | 6 09 23 01 075 90    | insert     | 1.00          | 2             |
|     | 4 09 27 97 015-00    | rosette    | 1.00          | 10            |
|     | 1 04 30 31 032 00 90 | fixing set | 1.00          | 2             |
|     | 7 04 12 05 092 00-00 | shower     | 1.00          | 10            |
|     | 5 90 11 03 070 00-00 | pipe       | 1.00          | 10            |
|     | 3 09 14 10 150 90    | seal       | 2.00          | 2             |
|     | 8 90 30 09 069 00 90 | key        | 1.00          | 2             |