

29 217 811




- 133mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 128 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- handle Ø 60mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 1x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- progressive cartridge
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
 WRAS 2201012

NOTE: The handle inserts must be ordered separately from the fittings!

Brushed Platinum	29 217 811-06
Chrome	29 217 811-00
Dark Chrome	29 217 811-19
Brushed Durabrass (23kt Gold)	29 217 811-28
Platinum / Brushed Platinum	29 217 811-36
Durabrass / Brushed Durabrass (23kt Gold)	29 217 811-38
Brushed Bronze	29 217 811-42
Brushed Dark Platinum	29 217 811-99



29 217 811



Flow rate chart



Codes & Standards

DIN 4109 ISO 3822 Scottish Water UK Water Supply Byelaws Regulations

Ü-Zeichen



CYO

29 217 811

Certificates


LGA_38

WRAS_2201



29 217 811

Parts for other finishes can be found here: Chrome







29 217 811

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
•	13 715 811-06	CYO Deck-mounted basin spout without pop-up waste - Brushed Platinum	8	10