

33 870 790



- 235mm projection
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 342 mm
- height up to aerator 292 mm
- hole diameter 35 mm
- fabric braided hose 1500 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

| | | |
|-----------------------------------------------------------------------------------|--------------------------------|---------------|
|  | Brushed Chrome | 33 870 790-93 |
|  | Chrome | 33 870 790-00 |
|  | Brushed Platinum | 33 870 790-06 |
|  | Platinum | 33 870 790-08 |
|  | Dark Chrome | 33 870 790-19 |
|  | Brushed Durabronze (23kt Gold) | 33 870 790-28 |
|  | Brushed Champagne (22kt Gold) | 33 870 790-46 |
|  | Champagne (22kt Gold) | 33 870 790-47 |
|  | Brushed Dark Platinum | 33 870 790-99 |

Recommended miscellaneous

**Dispenser without rosette -
Brushed Chrome**

82 424 970-93




Recommended miscellaneous

**Strainer waste with control handle -
Brushed Chrome**


10 712 970-93



33 870 790



Flow rate chart



Certificates

Belgaqua_21-379- GDV_0400277.
27_3.

33 870 790

Parts for other
finishes can be found
here: [Chrome](#)

