

Concealed single-lever mixer with cover plate with integrated shower connection - Chrome














TARA

36 045 660




- cover plate Ø 78 mm
- Intrinsic protection against back flow.**
- Article cannot be extended, please check the depth of the installation location!**
- Intrinsic protection against back flow.
- Article cannot be extended, please check the depth of the installation location!

Fits: TARA, META

| | | |
|-------------------------------------------------------------------------------------|-------------------------------|---------------|
|  | Chrome | 36 045 660-00 |
|  | Brushed Platinum | 36 045 660-06 |
|  | Platinum | 36 045 660-08 |
|  | Dark Chrome | 36 045 660-19 |
|  | Light Gold | 36 045 660-26 |
|  | Brushed Light Gold | 36 045 660-27 |
|  | Brushed Durabrass (23kt Gold) | 36 045 660-28 |
|  | Matte Black | 36 045 660-33 |
|  | Brushed Bronze | 36 045 660-42 |
|  | Brushed Champagne (22kt Gold) | 36 045 660-46 |
|  | Champagne (22kt Gold) | 36 045 660-47 |
|  | Brushed Chrome | 36 045 660-93 |
|  | Brushed Dark Platinum | 36 045 660-99 |


Required miscellaneous

| | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---------------|
|  | Concealed wall mounting - •max. recess depth 103 mm •min. recess depth 78 mm | 35 003 970 90 |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---------------|


Concealed single-lever mixer with cover plate with integrated shower connection - Chrome

TARA

36 045 660
mm [inches]




Flow rate chart



Certificates

Belgaqua_21-025- 27_1. LGA_29569. WRAS_2101023.

36 045 660



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|---------------------|---------------|---------------|
| 1 | 09 24 77 002 90 | nut | 1 | 2 |
| 2 | 90 31 11 030 00 90 | pin | 3 | 2 |
| 3 | 09 14 10 139 90 | seal | 1 | 2 |
| 4 | 09 14 10 111 90 | seal | 2 | 2 |
| 5 | 09 18 40 215-00 | sleeve | 1 | 10 |
| 6 | 09 14 10 518 90 | seal | 1 | 60 |
| 7 | 09 27 66 000-00 | rosette | 1 | 10 |
| 8 | 90 15 05 044 00 90 | cartridge | 1 | 2 |
| 9 | 09 24 04 266 90 | nut | 1 | 2 |
| 10 | 09 14 10 120 90 | seal | 1 | 2 |
| 11 | 09 28 30 041-00 | cover | 1 | 10 |
| 12 | 90 20 66 006 00-00 | handle | 1 | 10 |
| 13 | 09 31 11 144 90 | pin | 1 | 2 |
| 14 | 09 23 01 131 90 | back-flow preventer | 1 | 2 |
| 15 | 09 14 10 213 90 | seal | 1 | 2 |
| 16 | 09 24 03 281-00 | nipple | 1 | 10 |
| 17 | 90 21 02 069 00-00 | cover | 1 | 10 |