

Concealed single-lever mixer with cover plate with integrated shower connection - Brushed Durabrass (23kt Gold)

IMO

36 045 970



- cover plate 80 x 80 mm
- Intrinsic protection against back flow.**

Article cannot be extended, please check the depth of the installation location!


Intrinsic protection against back flow.

Article cannot be extended, please check the depth of the installation location!

Fits: IMO, MEM, CL.1, CYO

	Brushed Durabrass (23kt Gold)	36 045 970-28
	Chrome	36 045 970-00
	Brushed Platinum	36 045 970-06
	Platinum	36 045 970-08
	Dark Chrome	36 045 970-19
	Brushed Light Gold	36 045 970-27
	Matte Black	36 045 970-33
	Brushed Champagne (22kt Gold)	36 045 970-46
	Champagne (22kt Gold)	36 045 970-47
	Brushed Chrome	36 045 970-93
	Brushed Dark Platinum	36 045 970-99


Required miscellaneous

	Concealed wall mounting - •max. recess depth 103 mm •min. recess depth 78 mm	35 003 970 90
---	---	---------------

Concealed single-lever mixer with cover plate with integrated shower
connection - Brushed Durabron (23kt Gold)

IMO


36 045 970
mm [inches]



Certificates

Belgaqua_21-025- LGA_29569.
27_1.

36 045 970



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 24 77 002 90	nut	1	2
2	90 31 11 030 00 90	pin	3	2
3	09 14 10 139 90	seal	1	2
4	09 14 10 111 90	seal	1	2
5	09 18 40 215-28	sleeve	1	20
6	09 14 10 518 90	seal	1	60
7	09 27 97 042-28	rosette	1	20
8	90 15 05 044 00 90	cartridge	1	2
9	09 24 04 266 90	nut	1	2
10	09 14 10 120 90	seal	1	2
11	09 28 30 041-28	cover	1	20
12	09 20 97 063-28	handle	1	20
13	90 31 11 063 00 90	pin	1	2
14	90 31 20 109 00 90	plug	1	2
15	09 23 01 131 90	back-flow preventer	1	2
16	09 14 10 213 90	seal	1	2
17	09 24 03 281-28	nipple	1	20
18	90 21 02 069 00-28	cover	1	20