

SYMETRICS Concealed two-way diverter - Brushed Platinum

SYMETRICS

36 200 980


Product version from 4/1/2022



- rotary diverter
- rosette 60 x 60 mm
- WRAS


	Brushed Platinum	36 200 980-06
	Chrome	36 200 980-00
	brushed chrome	36 200 980-93
	Dark Chrome	36 200 980-19
	Brushed Light Gold	36 200 980-27
	Brushed Durabrass (23kt Gold)	36 200 980-28
	Matte Black	36 200 980-33
	Brushed Champagne (22kt Gold)	36 200 980-46
	Champagne (22kt Gold)	36 200 980-47
	Brushed Dark Platinum	36 200 980-99

Required miscellaneous

	<b>Concealed two-way diverter -</b>	35 202 970 90
	•max. recess depth 160 mm	
	•min. recess depth 85 mm	

36 200 980 Product version from 4/1/2022

mm [inches]



**Flow rate chart**



**Codes & Standards**

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## SYMETRICS Concealed two-way diverter - Brushed Platinum


SYMETRICS

36 200 980 Product version from 4/1/2022

Certificates and sustainability

LGA\_38

WRAS\_2307



**Spare parts list**

No.	Item Number	Name	Quantity used	Delivery time
7	90 21 02 181 00 90	disc	1.00	2
5	09 31 11 294 90	pin	1.00	2
4	09 14 10 017 90	seal	1.00	2
8	90 90 03 304 10 90	diverter	1.00	2
1	09 20 98 001-06	handle	1.00	10
3	09 12 12 043-06	base	1.00	10
6	09 27 98 037-06	rosette	1.00	10
2	09 12 12 005 90	fixing cap	1.00	2