










## TARA Concealed thermostat with two function volume control - Champagne (22kt Gold)

TARA

36 426 892 Product version from 5/1/2022



- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset
- WRAS

	Champagne (22kt Gold)	36 426 892-47
	Chrome	36 426 892-00
	Brushed Platinum	36 426 892-06
	Platinum	36 426 892-08
	Dark Chrome	36 426 892-19
	Brushed Durabronze (23kt Gold)	36 426 892-28
	Matte Black	36 426 892-33
	Brushed Dark Brass	36 426 892-39
	Brushed Bronze	36 426 892-42
	Brushed Champagne (22kt Gold)	36 426 892-46
	Brushed Chrome	36 426 892-93
	Brushed Dark Platinum	36 426 892-99

### Required miscellaneous



- Concealed thermostat -**
- max. recess depth 136 mm
  - min. recess depth 80 mm

35 425 970 90

### Required miscellaneous




- Concealed thermostat with built-in isolators -**
- min. recess depth 80 mm
  - max. recess depth 136 mm

35 426 970 90

## TARA Concealed thermostat with two function volume control - Champagne (22kt Gold)

TARA

36 426 892 Product version from 5/1/2022  
mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109	EN 1111	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen	VA-Zeichen	



TARA Concealed thermostat with two function volume control - Champagne  
(22kt Gold)

TARA

36 426 892    Product version from 5/1/2022


Certificates and sustainability

LGA_19	ETA_20	LGA_19	WRAS_250402
--------	--------	--------	-------------

# TARA Concealed thermostat with two function volume control - Champagne (22kt Gold)

TARA

36 426 892 Product version from 5/1/2022





## TARA Concealed thermostat with two function volume control - Champagne (22kt Gold)

TARA

36 426 892 Product version from 5/1/2022

### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
6	09 20 67 006-47	handle	1.00	30
1	90 90 03 163 00 90	diverter	1.00	2
13	09 12 12 051-47	base	1.00	30
15	09 11 02 243-47	plate	1.00	60
21	09 24 04 257 90	nut	2.00	2
10	09 12 12 054 90	base	1.00	2
2	09 12 12 053-47	base	1.00	30
14	09 31 11 134 90	pin	1.00	2
23	09 28 10 188 90	regulator	1.00	2
18	90 30 01 190 00 90	disc	1.00	2
17	09 30 01 296 90	disc	1.00	2
22	90 15 02 013 00 90	cartridge	1.00	2
24	09 28 10 189 90	regulator	1.00	2
7	90 17 33 022 00-47	handle	1.00	30
11	09 28 10 187 90	regulator	1.00	2
5	90 12 12 002 00 90	fixing cap	1.00	2
16	09 30 30 157 90	screw	4.00	2
3	04 29 06 111 01-00	spindle	1.00	10
20	90 18 40 077 01 90	spindle	2.00	2
4	90 23 30 023 00 90	nut	2.00	2
8	90 30 30 124 00 90	screw	1.00	2
9	90 12 12 052 00 90	base	1.00	2
19	90 23 01 124 00 90	sleeve	2.00	2
12	04 29 06 024 01-00	spindle	1.00	10