

IMO Washstand fitting with electronic opening and closing function without pop-up waste - Chrome

IMO

44 515 670 Product version from 6/1/2024



- Infrared sensor technology
 - 130mm projection
 - height of mixer 135 mm
 - height up to aerator 74 mm
 - hole diameter 35 mm
 - fixed spout
 - max. flow 5.7 l/min
 - rectangular, air-enriched flow
 - suitable for thermal disinfection
 - Automatic shut-off after pre-set time is reached
 - Direct temperature control at faucet
 - Battery-powered (batteries not included)
 - 1x CR-P2 battery required
 - 2x screw-in M 8 x 1 pressure hose, leak-tested
 - lead-free
 - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
 - WRAS
- Batteries not included**

Batteries not included

	Chrome	44 515 670-00
	Brushed Platinum	44 515 670-06
	Platinum	44 515 670-08
	Brushed Light Gold	44 515 670-27
	Brushed Durabronze (23kt Gold)	44 515 670-28
	Matte Black	44 515 670-33
	Brushed Chrome	44 515 670-93
	Brushed Dark Platinum	44 515 670-99


Required miscellaneous

Adapter for power supply unit - 12 425 970 90


IMO Washstand fitting with electronic opening and closing function without pop-up waste - Chrome

IMO

44 515 670 Product version from 6/1/2024
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
----------	----------	------------------------	-----------------------------

Ü-Zeichen



IMO Washstand fitting with electronic opening and closing function without pop-up waste - Chrome

IMO

44 515 670 Product version from 6/1/2024

Certificates and sustainability


LGA_38

WRAS_2212

IMO Washstand fitting with electronic opening and closing function without pop-up waste - Chrome

IMO

44 515 670 Product version from 6/1/2024



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
7	90 24 03 314 00 90	nipple set	2.00	2
2	09 24 04 565 90	nut	1.00	60
8	90 10 01 250 00 90	casing without battery	1.00	2
6	04 23 10 044 08 90	fixing set	1.00	2
1	90 20 66 122 00-00	handle	1.00	10
5	04 30 04 100 00 90	hose	2.00	2
3	90 90 03 173 00 90	top	1.00	2
4	90 28 22 239 00-00	spout	1.00	10