

## Washstand fitting with electronic opening and closing function without pop-up waste - Brushed Bronze

SERIES SPECIFIC

44 521 660 Product version from 10/1/2023



- 165mm projection
- Infrared sensor technology
- height of mixer 310 mm
- height up to aerator 199 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Batteries not included

|   |                                |               |
|---|--------------------------------|---------------|
|    | Brushed Bronze                 | 44 521 660-42 |
|    | Chrome                         | 44 521 660-00 |
|    | Brushed Platinum               | 44 521 660-06 |
|    | Platinum                       | 44 521 660-08 |
|    | Dark Chrome                    | 44 521 660-19 |
|    | Light Gold                     | 44 521 660-26 |
|    | Brushed Light Gold             | 44 521 660-27 |
|    | Brushed Durabronze (23kt Gold) | 44 521 660-28 |
|    | Matte Black                    | 44 521 660-33 |
|   | Brushed Champagne (22kt Gold)  | 44 521 660-46 |
|  | Champagne (22kt Gold)          | 44 521 660-47 |
|  | Brushed Chrome                 | 44 521 660-93 |
|  | Brushed Dark Platinum          | 44 521 660-99 |

Washstand fitting with electronic opening and closing function without pop-up waste - Brushed Bronze

SERIES SPECIFIC

44 521 660 Product version from 10/1/2023

mm [inches]

1:5



### Flow rate chart



## Codes & Standards

EN 1717

Executive Order  
no. 1007

Scottish Water  
Byelaws

## UK Water Supply Regulations



## Washstand fitting with electronic opening and closing function without pop-up waste - Brushed Bronze

---

SERIES SPECIFIC

44 521 660 Product version from 10/1/2023

Certificates and sustainability

---

Belgaqua\_23-210-2 WRAS\_2211

GDV\_0400

## Washstand fitting with electronic opening and closing function without pop-up waste - Brushed Bronze

SERIES SPECIFIC

44 521 660 Product version from 10/1/2023

Parts for other  
finishes can be found  
here: [Chrome](#)



### Spare parts list

| No. | Item Number          | Name                  | Quantity used | Delivery time |
|-----|----------------------|-----------------------|---------------|---------------|
|     | 3 04 30 04 100 00 90 | hose                  | 1.00          | 2             |
|     | 4 04 23 10 044 08 90 | fixing set            | 1.00          | 2             |
|     | 1 09 29 03 126 90    | aerator               | 1.00          | 2             |
|     | 6 09 24 03 185-00    | nipple                | 1.00          | 10            |
|     | 5 12 506 970 90      | High pressure hoses - | 1.00          | 2             |
|     | 7 90 30 50 081 00 90 | valve                 | 1.00          | 2             |
|     | 2 90 30 09 028 00 90 | key                   | 1.00          | 2             |
|     | 8 90 10 01 247 00 90 | valve box             | 1.00          | 2             |