

ST 010 105 5809



- 168mm projection
 - pivotable spout 360°
 - circular, air-enriched flow
 - height of mixer 280 mm
 - height up to aerator 191 mm
 - rosette Ø 60 mm
 - hole diameter 35 mm
 - 2x screw-in M 10 x 1 pressure hose, leak-tested
 - 1/2" connection
 - max. flow 5.7 l/min
 - lead-free
 - automatic hygiene flush
 - suitable for thermal disinfection
 - adjustable follow-up time
 - high-frequency sensors with self-calibration
 - magnetic valve
 - 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
 - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Cannot be combined with basins in conducting materials (e.g. steel, river stone).**
Cannot be combined with basins that have a closing drain.
ATTENTION: Separate terms and conditions for electronic articles are applicable.

Individual components of this set

You need the following components for this set



1x

42 766 970 90



1x

13 716 809-00



VAIA eSET Touchfree Basin mixer without pop-up waste without temperature setting - Chrome


VAIA

ST 010 105 5809

VAIA eSET Touchfree Basin mixer without pop-up waste without temperature setting - Chrome

VAIA

ST 010 105 5809



Fits: IMO, LULU, MADISON, MEM, TARA, CL.1, LISSÉ, VAIA, META, CYO

- automatic hygiene flush
 - suitable for thermal disinfection
 - adjustable follow-up time
 - high-frequency sensors with self-calibration
 - magnetic valve
 - 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- Cannot be combined with basins in conducting materials (e.g. steel, river stone).
Cannot be combined with basins that have a closing drain.**
ATTENTION: Separate terms and conditions for electronic articles are applicable.

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Required miscellaneous



eSET Touchfree Basin mixer without temperature setting for combining with free-standing fittings -

35 742 970 90

Required miscellaneous



eSET Touchfree Basin mixer without temperature setting for combining with wall-mounted fittings -

35 743 970 90


- min. recess depth 90 mm
- max. recess depth 125 mm

Recommended miscellaneous

Extension for Touchfree 500 mm - 12 765 970 90




ST 010 105 5809
mm [inches]



Certificates

LGA_29120.	WRAS_1906116.	IAPMO_EGS.	CE000001_eSet_Tou chfree_20171206_D E_signed.	CE000002_eSet_Tou chfree_20171206_E N_signed.
LGA_29119.				

ST 010 105 5809



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 10 01 177 00 90	electronic accessories	1	2
2	90 17 20 199 00 90	holder	1	2
3	04 30 50 079 00 90	valve	1	2
4	04 10 01 050 00 90	power supply	1	60
5	04 30 31 024 01 90	fixing set	1	2

ST 010 105 5809



- 168mm projection
 - pivotable spout 360°
 - circular, air-enriched flow
 - height of mixer 280 mm
 - height up to aerator 191 mm
 - rosette Ø 60 mm
 - hole diameter 35 mm
 - 2x 1/2" x 1/2" x 400mm high pressure hose
 - 1/2" connection
 - max. flow 5.7 l/min
 - lead-free
 - WRAS 1801015
 - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- For Touchfree control please order eSet Touchfree WITH or WITHOUT temperature adjustment

	Chrome	13 716 809-00
	Brushed Platinum	13 716 809-06
	Platinum	13 716 809-08
	Dark Chrome	13 716 809-19
	Brushed Durabronze (23kt Gold)	13 716 809-28
	Brushed Bronze	13 716 809-42
	Brushed Champagne (22kt Gold)	13 716 809-46
	Champagne (22kt Gold)	13 716 809-47
	Brushed Dark Platinum	13 716 809-99




VAIA eSET Touchfree Basin mixer without pop-up waste without temperature setting - Chrome


VAIA

ST 010 105 5809

ST 010 105 5800
mm [inches]



Flow rate chart




Certificates

WRAS_2306016.

LGA_29289.

GDV_0400287.

ST 010 105 5809



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 28 22 309 00-00	spout	1	10
2	09 27 80 011-00	rosette	1	10
3	09 14 10 084 90	seal	1	2
4	90 30 01 033 00 90	base	1	2
5	09 14 10 017 90	seal	1	2
6	09 24 04 021 10 90	nipple	1	2
7	09 23 10 127 90	nut	1	2
8	04 23 10 004 04 90	fixing set	1	2
9	90 17 11 020 10 90	distributor	1	2
10	90 23 10 012 00 90	gasket kit	1	2
11	04 21 02 006 00 92	cap	2	2
12	04 30 04 096 00 90	hose	2	2