

MEM eSET Touchfree Basin mixer without pop-up waste with temperature setting - Chrome

MEM

ST 010 203 2782



- 200mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- rosette for spout 60 x 60mm
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Individual components of this set

You need the following components for this set



1x 42 765 970 90



1x 13 800 782-00



MEM eSET Touchfree Basin mixer without pop-up waste with temperature setting - Chrome

MEM

ST 010 203 2782

MEM eSET Touchfree Basin mixer without pop-up waste with temperature setting - Chrome

MEM

ST 010 203 2782



Fits: IMO, LULU, MADISON, MEM, TARA, CL.1, LISSÉ, VAIA, META, CYO

- automatic hygiene flush
 - suitable for thermal disinfection
 - adjustable follow-up time
 - high-frequency sensors with self-calibration
 - magnetic valve
 - temperature setting via thermostat
 - 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- Cannot be combined with basins in conducting materials (e.g. steel, river stone).
Cannot be combined with basins that have a closing drain.**
- ATTENTION: Separate terms and conditions for electronic articles are applicable.**

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Required miscellaneous



eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings - 35 741 970 90

- max. recess depth 125 mm
- min. recess depth 90 mm

Required miscellaneous



eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings - 35 740 970 90


Recommended miscellaneous

Extension for Touchfree 500 mm - 12 765 970 90



MEM eSET Touchfree Basin mixer without pop-up waste with temperature setting - Chrome


ST 010 203 2782
mm [inches]



Certificates

| | | | | |
|------------|---------------|------------|---|---|
| LGA_29120. | WRAS_1906116. | IAPMO_EGS. | CE000001_eSet_Tou chfree_20171206_D E_signed. | CE000002_eSet_Tou chfree_20171206_E N_signed. |
| LGA_29119. | | | | |

ST 010 203 2782



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------------------------|---------------|---------------|
| 1 | 90 10 01 177 00 90 | electronic accessories | 1 | 2 |
| 2 | 90 17 20 199 00 90 | holder | 1 | 2 |
| 3 | 90 23 01 124 00 90 | sleeve | 1 | 2 |
| 4 | 09 23 10 129 90 | nut | 1 | 2 |
| 5 | 04 30 50 079 00 90 | valve | 1 | 2 |
| 6 | 90 15 02 013 00 90 | cartridge | 1 | 2 |
| 7 | 04 10 01 246 00 90 | electronic accessories | 1 | 2 |
| 8 | 04 30 31 024 01 90 | fixing set | 1 | 2 |

MEM eSET Touchfree Basin mixer without pop-up waste with temperature setting - Chrome

MEM

ST 010 203 2782



- 200mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- WRAS 2203039
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

| | | |
|--|--------------------------------|---------------|
|  | Chrome | 13 800 782-00 |
|  | Brushed Platinum | 13 800 782-06 |
|  | Platinum | 13 800 782-08 |
|  | Dark Chrome | 13 800 782-19 |
|  | Brushed Durabronze (23kt Gold) | 13 800 782-28 |
|  | Brushed Champagne (22kt Gold) | 13 800 782-46 |
|  | Champagne (22kt Gold) | 13 800 782-47 |
|  | Brushed Dark Platinum | 13 800 782-99 |

Recommended miscellaneous



Concealed wall elbow -

35 085 970 90

- max. recess depth 163 mm
- min. recess depth 90 mm




MEM eSET Touchfree Basin mixer without pop-up waste with temperature setting - Chrome


MEM

ST 010 203 2782

ST 010 203 2782
mm [inches]




Flow rate chart



Certificates

WRAS_2203039.

ST 010 203 2782



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|-----------|---------------|---------------|
| 1 | 09 24 03 081 10 90 | extension | 1 | 2 |
| 2 | 90 27 78 035 00-00 | rosette | 1 | 10 |
| 3 | 90 29 03 109 00 90 | aerator | 1 | 2 |