

36 060 660

- piastra di copertura Ø 78 mm



Compatibile con: TARA, META

| | | |
|---|--------------------------------------|---------------|
|  | Light Gold | 36 060 660-26 |
|  | Cromato | 36 060 660-00 |
|  | Platinato spazzolato | 36 060 660-06 |
|  | Platinato | 36 060 660-08 |
|  | Dark Chrome | 36 060 660-19 |
|  | Light Gold spazzolato | 36 060 660-27 |
|  | Ottone spazzolato (Oro 23k) | 36 060 660-28 |
|  | Nero opaco | 36 060 660-33 |
|  | Bronzo spazzolato | 36 060 660-42 |
|  | Champagne spazzolato (Oro 22k) | 36 060 660-46 |
|  | Champagne (Oro 22k) | 36 060 660-47 |
|  | Cromo spazzolato | 36 060 660-93 |
|  | Dark Platinum spazzolato | 36 060 660-99 |

Prodotti complementari necessari



**Miscelatore monocomando da
incasso -** 35 860 970 90

- profondità d'incasso min. 80 mm
- Profondità d'incasso max. 95 mm

36 060 660

mm [inches]



Certificati

LGA_29905.

36 060 660



Elenco delle parti di ricambio

| N. | Codice articolo | Denominazione | Quantità necessaria | Tempo di produzione |
|----|--------------------|---------------|---------------------|---------------------|
| 1 | 90 15 05 064 01 90 | cartuccia | 1 | 2 |
| 2 | 90 27 66 009 00-26 | rosetta | 1 | 30 |
| 3 | 09 11 02 293-26 | copertura | 1 | 60 |
| 4 | 90 20 66 006 00-26 | manopola | 1 | 30 |
| 5 | 90 30 09 064 00 90 | chiave | 1 | 2 |