

META Llave de paso empotrada cierre a la derecha 1/2" - Champagne cepillado (Oro 22k)

META


36 607 660

- Roseta Ø 60 mm
- Montura con husillo ajustable y camisa



	Champagne cepillado (Oro 22k)	36 607 660-46
	Cromo	36 607 660-00
	Platino cepillado	36 607 660-06
	Dark Chrome	36 607 660-19
	Light Gold	36 607 660-26
	Light Gold cepillado	36 607 660-27
	Negro mate	36 607 660-33
	Dark Brass cepillado	36 607 660-39
	Bronce cepillado	36 607 660-42
	Champagne (Oro 22k)	36 607 660-47
	Cromo cepillado	36 607 660-93
	Dark Platinum cepillado	36 607 660-99

Complementos necesarios

- 
- Válvula empotrada 1/2" -

35 607 970 90


 - Profundidad de montaje mín. 75 mm
 - Profundidad de montaje máx. 145 mm



META Llave de paso empotrada cierre a la derecha 1/2" - Champagne cepillado (Oro 22k)

META

36 607 660



Códigos y Estándares

DIN 4109	ISO 3822	Ü-Zeichen
----------	----------	-----------

Certificados y sostenibilidad

LGA_38

**META Llave de paso empotrada cierre a la derecha 1/2" - Champagne
cepillado (Oro 22k)**

META

36 607 660

