







## IMO Bath spout for wall mounting - Brushed Chrome

IMO

13 801 670



- 200mm projection
- rectangular normal flow
- hole diameter 37 mm
- 1/2" connection
- max. flow 25.1 l/min at 3 bar flow pressure
- WRAS 2005002


	Brushed Chrome	13 801 670-93
	Chrome	13 801 670-00
	Brushed Platinum	13 801 670-06
	Dark Chrome	13 801 670-19
	Brushed Light Gold	13 801 670-27
	Matte Black	13 801 670-33

IMO Bath spout for wall mounting - Brushed Chrome


IMO

13 801 670

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1

cUPC

Scottish Water  
Byelaws

UK Water Supply  
Regulations



## IMO Bath spout for wall mounting - Brushed Chrome

---

IMO

13 801 670

### Certificates


---

IAPMO\_4976

WRAS\_2005

**Product version from 4/1/2024**

Parts for other  
finishes can be found  
here: [Chrome](#)





## IMO Bath spout for wall mounting - Brushed Chrome

IMO

13 801 670

### Spare parts list

#### Product version from 4/1/2024

No.	Item Number	Name	Quantity used	Delivery time
	09 18 40 139 90	base	4	2